

BATTERY SUCTION ASPIRATORS

- 28243 SUPER VEGA BATTERY - plastic case - 16 l/min.
- 28190 SUPER VEGA BATTERY - plastic case - 36 l/min.
- 28213 TROLLEY FOR SUPER VEGA
- 28242 BATTERY FOR SUPER VEGA/TOBI (28243/28240) - spare
- 28251 BATTERY FOR SUPER VEGA (28190) - spare

With incorporated rechargeable batteries. It can operate at 12 V power supply at rechargeable batteries and, thanks to an electronic system, at 230 V while recharging batteries. Autonomy: approx 45-50 minutes. Recharging time: 120-150 minutes. Max suction: -75 bar. Suction power: 16 or 36 air litres/min. It has unbreakable 1,000 ml standard bottle (2,000 ml optional) autoclavable at 120°C with safety float control valve to prevent overflow.



28243



1 l jar with overflow safety valve

36 l/min.

CE 0476

28190

STANDARD ACCESSORIES

- Bottle 1 l - autoclavable at 120°C
- Silicone tubing set
- Suction catheter
- Anti-bacterial filter
- Cable to recharge batteries from power supply
- Cable to recharge batteries from car
- User manual (GB, IT, FR, DE, ES)

Cable to recharge battery from power supply



Cable to recharge batteries from car

TECHNICAL SPECIFICATIONS SUPER VEGA

Operating Voltage: 220-230 V - 50/60 Hz AC - 12 V DC (28243)
100-240 V - 50/60 Hz (28190)
Size: 350x210x180 mm Weight: 4.9 kg
Max suction -0.75 bar (563 mm/Hg)
Suction power: 16 air litres/min (28243), 36 air litres/min (28190)
Norms: IEC 601-1 - Class II Type B. Made in Italy

- 28206 MINI ASPEED BATTERY PRO - metal case - 30 l/min
- High vacuum portable medical device for professional surgical aspiration.

- it can operate at 12 V (car.) power supply, rechargeable batteries or directly by mains supply
- its two cylinders electro-compressor ensures high performances and long life
- up to 45 min. of autonomy with fully charged battery
- with 99% antibacterial hydrophobic filter
- equipped with autoclavable jar with safety valve, disposable suction liner and carrying case.

- 25480 SILICONE TUBE 6x12 mm - roll of 30 m
- 28254 ADAPTOR FOR CATHETER
- 28255 HYDROPHOBIC 99% BACTERIAL FILTER
- 28258 AUTOCLAVABLE JAR 1000 ml (with cover)
- 28259 DISPOSABLE SUCTION LINER

Disposable suction liner inside autoclavable jar

TECHNICAL SPECIFICATIONS MINI ASPEED

Operating Voltage: 100-240 V 50/60 Hz AC - 14 V DC 4.28 A
Size: 370x100x240 mm Weight: 5.8 kg (include kit)
Max suction: - 0.85 bar
Suction power: 30 air litres/min.
Sound level: 65 db
Norms: MDD 93/42/ECC (class IIa - annex IX)
IEC 60601-1, UNI ENISO 10079-1 Made in Italy

STANDARD ACCESSORIES

- Autoclavable jar 1000 cc
- Anti-bacterial hydrophobic filter with safety valve
- Silicone tubing set Ø 6x12 mm
- Multivoltage battery charger
- Disposable suction liner
- Cigarette lighter power cord.
- Sterile cannula
- Shoulder carrying bag
- User manual (English and Italian)



28258 + 28259



30 l/min.

CE 0123

28206



28259 28258

SUPERVEGA SUCTION ASPIRATOR ON TROLLEY

CE 0476

Vacuum indicator
Max suction:
600 mm Hg - 0.80 bar

Silicone tubing
8x14 mm

Adjustable suction knob

Fixed height 75 cm

28191

- 28191 SUPER VEGA on trolley - suction 2x2 l jar
 - 28192 SUPER VEGA on trolley - suction 2x2 l jar with footswitch
- Continuously adjustable vacuum, with indicator. Silicone connection tube. 2 jars 2 litres, made of sterilizable polycarbonate (autoclavable at 120°C). Working time: 120 min ON, 60 min. OFF. Suction power: 40 air litres/min. Steel painted frame, fitted with 5 star base. Norms CEI 62-5 (IEC 601-1) - Class II - Type B
- 28239 HYDROPHOBIC 99% BACTERIAL FILTER
 - 25482 SILICONE TUBE - 8x14 mm - roll of 30 m

TECHNICAL SPECIFICATIONS

Size: 32x30x90 h cm Weight 6.2 kg
Operating voltage: 220-230 V - 50/60 Hz; other on request
Power consumption: 110 VA
Maximum suction: -0.80 bar (600 mm Hg)
Flow: 40 air litres/minute
Temporary use: 120 on - 60 off
Norms CEI 62-5 (IEC 601-1) - CE 93/42 EEC
User manual (English, French, German, Italian, Spanish)
Made in Italy



Supervega on trolley with disposable jars 28272/3 and 28274/5. See page 99